



Floor-standing hygienic stainless steel hand washing station

Reference: **LVP-040**


PACK CONTENTS




1 x



1 x



4 x




4 x




1 x




1 x



1 x







1 x



1 x




TOOLS



PRE-INSTALLATION


- Check contents.
- Keep dirt out of the pipes and the surrounding area.
- If the plumbing is new, let the water run.
- It is recommended to use cut-resistant gloves during assembly.
- Use Teflon tape to seal connections.
- Pull the front door open and remove the protective plastic from the door and the hand washing station.
- If any pieces of protective plastic remain after removal, they can be taken off using a commercial degreaser. Spray the affected areas with the degreaser and let it sit for the recommended time. Then, clean the surfaces with a soft cloth and wipe them dry with another soft cloth.
- If the issue persists, use an organic solvent as recommended by the manufacturer.
- Assemble the components following the installation drawings.

INSTALLATION




INSTALLATION

4



5



SUPRATECH

AUTOMATED SYSTEMS - SANITARY ACCESSORIES - STAINLESS STEEL SANITARY WARE

2, rue des Cyprès - 37240 Bossée - France
Tel: + 33 (0)2 47 92 23 31 - Fax: + 33 (0)2 47 92 84 71
info@autosanit.com
www.autosanit.com

