



Electronic multi-urinal flush valve with infrared beam

Reference: **SLP05K**


EN ISO 9001




FUNCTION




FEATURES




SUPPLIED EQUIPMENT




Piece n°	Ref.	Quantity	Note
1	SAN-45348	1	
2	SAN-46424	1	
3	SAN-47074	1	
4	SAN-44609	1	
5	SAN-46423	1	
6		1	
7	SAN-45376	1	
8	SAN-45843	4	5X50
9	SAN-45821	2	5X10
10	SAN-50313	4	4,5X50
11	SAN-45784	1	



Water circuit diagram










Electrical diagram

















* - Not included.







INSTALLATION / SELENOID VALVE HOUSING - 1



INSTALLATION / RECESS BOX - 7









SETTINGS


27




Move reflexive foil along the opposite wall as long as diode lights up.



28



29



MAINTENANCE

It is recommended to check up the sifter of electromagnetic valve once a year, because of there is a possibility that valve could be fouled up. Checking of tightening of screw connections and connectors contact surfaces is also recommended once a year.

All stainless steel components should be cleaned only by using soap and water and soft cloth. It is strictly forbidden to use aggressive and abrasive cleansers.

It is necessary to proceed according to the law about packaging material after unpacking of the product.

Producer assures that this product has declaration of conformity in accordance with the regulation 73/23/EHS and 92/31/EHS.

RECOMMENDED ACCESSORY

Ref. SLD03: remote control for settings adjustment.